

PRODUCT INFORMATION

Warning: Undefined variable \$hasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806
PP-05082366, PP-2566

Conjugate Unconjugated TNFRSF9;4-1BB;CD137;CDw137;ILA

Synonyms Applications ELISA; Flow Cyt

Recommende Dilutions ELISA 1:5000-10000

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG2 - Lambda1 IgG type Reactivity

Target 4-1BB Uniprot ID

Description Anti-4-1BB (utomilumab biosimilar) mAb

Delivery

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage

Anti-4-1BB (utomilumab biosimilar) mAb ELISA





Figure 1. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human 4-1BB, mFc-His tagged protein ([getskuurl sku="PME100011"]) can bind Anti-4-1BB Neutralizing antibody (BME100037) in a linear range of 3.2-400 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com










Figure 2. Flow cytometry analysis with Anti-4-1BB (utomilumab) on HEK293 cells transfected with human 4-1BB(Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

