

## **PRODUCT INFORMATION**

**Common Name** AZD-8205 **Synonyms** VTCN1

**Applications** ELISA, Flow Cyt

Recommended **Dilutions** 

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions.

**Host Species** Humanized

IgG type lgG1 Reactivity Human B7-H4 **Target Uniprot ID** Q7Z7D3

**Description** Anti-B7-H4(AZD-8205 biosimilar) mAb

**Delivery** In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and

thawing) Lyophilized antibodies are shipped at

ambient temperature.

Research grade biosimilar. Not for use in

**Background** therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only

Conjugate Unconjugated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

**DIMA Disclaimer** 

actively scrutinizing all patent application to ensure no IP infringement.







## Anti-B7-H4(AZD-8205 biosimilar) mAb ELISA

0.2 µg of Human B7-H4, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human B7-H4 Protein, hFc Tag (PME100053) can bind Anti-B7-H4(AZD-8205 biosimilar) mAb (BME100190) in a linear range of 3.20-80 ng/mL.In order to specifically detect BME100190, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis with 1µg/mL Anti-B7-H4(AZD-8205 biosimilar) mAb (BME100190) on Expi293 cells transfected with Human B7-H4 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

