

PRODUCT INFORMATION

Warning. Undefined variable \$hasAttributeValueDescription in Calwawroottmirror.dimablo.com/wp-content\plugins/woocommerce-print-products-public.php on line 2806 VAY-736

Conjugate

Unconjugated
BAFFR;TNFRSF13C;BAFF-R;BROMIX;CD268;CVID4;prolixin Synonyms

Applications ELISA; Flow Cyt

Recommend Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG1 - kappa IgG type Reactivity Target BAFF-R Uniprot ID Q96RJ3

Anti-BAFFR (ianalumab biosimilar) mAb Description

Delivery

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Storage & Sh

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage

Anti-BAFFR (ianalumab biosimilar) mAb ELISA

0.2 µg of Human BAFFR, mFc Tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human BAFFR, mFc tagged protein ([getskuurl sku="PME100044"]) can bind Anti-BAFFR Neutralizing antibody (BME100045) in a linear range of 0.64-16 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)








Figure 2. HEK293 cell line transfected with irrelevant protein (B) and human BAFFR (A) were surface stained with Anti-BAFFR mAb 1 μ g/ml (ianalumab) followed by Alexa 488-conjugated anti-human IgG secondary antibody.



