

PRODUCT INFORMATION

Warning: Undefined variable ShacAttributeValueDescription in CAwwwroottmirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 empasjorbatr.

Unconjugated CO2, complement 2 Conjugate Synonyms Applications ELISA Recommend Dilutions ELISA 1:5000-10000

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG1(L234A,L235A,E356D,M358L,H433K,N434F) - kappa IgG type

Reactivity Target Uniprot ID

Description Anti-C2(empasiprubart biosimilar) mAb

Delivery


Background

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Usage

Anti-C2(empasiprubart biosimilar) mAb ELISA

 $0.2~\mu g$ of Human C2, His tagged protein per well



Anti-C2(empasiprubart biosimilar) mAb (ng/mL)

Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human C2 Protein, His Tag (PME101342) can bind Anti-C2(empasiprubart biosimilar) mAb (BME100491) in a linear range of 6.86–185.19 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

