



## PRODUCT INFORMATION

<b>Clone ID</b>	DM144
<b>Target</b>	CB1
<b>Synonyms</b>	CANN6; CB-R; CB1; CB1A; CB1K5; CB1R; CNR
<b>Host Species</b>	Rabbit
<b>Description</b>	Anti-CB1 antibody(DM144); Rabbit mAb
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	P21554
<b>IgG type</b>	Rabbit IgG
<b>Clonality</b>	Monoclonal
<b>Reactivity</b>	Human
<b>Applications</b>	ELISA; Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000; Flow Cyt 1:100
<b>Purification</b>	Purified from cell culture supernatant by affinity chromatography
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Storage &amp; Shipping</b>	
<b>Background</b>	This gene encodes one of two cannabinoid receptors. The cannabinoids; principally delta-9-tetrahydrocannabinol and synthetic analogs; are psychoactive ingredients of marijuana. The cannabinoid receptors are members of the guanine-nucleotide-binding protein (G-protein) coupled receptor family; which inhibit adenylate cyclase activity in a dose-dependent; stereoselective and pertussis toxin-sensitive manner. The two receptors have been found to be involved in the cannabinoid-induced CNS effects (including alterations in mood and cognition) experienced by users of marijuana. Multiple transcript variants encoding two different protein isoforms have been described for this gene.
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated
<b>DIMA Disclaimer</b>	All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.





**Figure 1.** ELISA plate pre-coated by 1  $\mu\text{g/ml}$  (100  $\mu\text{l/well}$ ) Human CB1 protein, hFc tagged protein ([getskuurl sku="PME100507"]) can bind Rabbit anti-CB1 monoclonal antibody(**clone: DM144**) in a linear range of 5-200 ng/ml.



**Figure 2.** Flow cytometry analysis with Anti-CB1 (DM144) on Expi293 cells transfected with human CB1 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

