

PRODUCT INFORMATION

Warning: Undefined variable ShacktributeValueDescription in C:\text{Newworot\text{mirror.dimabio.com\wp-content\plugins\woocommerce-print-products-public.php on line 2806 TBC.

Conjugate

Unconjugated
ABCD-2/CC chemokine TARC; C-C motif chemokine 17; CCL17; chemokine (C-C motif) ligand 17; MGC138273; SCYA17MGC138271; small inducible cytokine subfamily A (Cys-Cys); member 17; Small-inducible cytokine A17; T cell-directed CC chemokine; TARC; TARCA-152E5.3; Thymus and activation-regulated chemokine AT their Synonyms

Applications

Recommended Dilutions

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

N/A IgG2 Host Species IgG type Reactivity Human Target CCL17 Uniprot ID 092583

Anti-CCL17(denrakibart biosimilar [IgG2) mAb Description

Delivery Storage & Shipping

3-4 weeks

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.

Background

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

