

PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 MLN-1202, MLN1202, anti-CCR2, hu1D9

Conjugate

Unconjugated
CC-CKR-2;CCR2A;CCR2B;CD192;CKR2;CKR2A;CKR2B;CMKBR2;MCP-1-R Synonyms

Applications Flow Cyt Recommend Dilutions Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

IgG type Human IgG1 - kappa Reactivity Target CCR2 Uniprot ID


Anti-CCR2(plozalizumab biosimilar) mAb Description

Delivery

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage



 $\textbf{Figure 1.} \ \, \text{Flow cytometry analysis with 1} \ \, \mu\text{g/mL Anti-CCR2 (plozalizumab biosimilar) mAb (BME100087) on HEK293 cells transfected with Human CCR2 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).$

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

