

## **PRODUCT INFORMATION**

Warning: Undefined variable \$hasAttributeValueDescription in C:\www.root\mirror.dimabio.com\wp-content\plugins\woocommerce-print-products-public.php on line 2806
BT-062, 8T062, BT062-DM4

Conjugate

Unconjugated SDC1;Syndecan-1;CD138;SYND1;SDC Synonyms

Applications Flow Cyt Recommend Dilutions Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Host Species

Human IgG4 - Kappa IgG type Reactivity Target CD138 Uniprot ID


Anti-CD138 (indatuximab biosimilar) mAb Description

Delivery

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Storage & Sh

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage



**Figure 1.** HEK293 cell line transfected with irrelevant protein **(B)** and human CD138 **(A)** were surface stained with anti-CD138 neutralizing antibody  $1\mu$ g/ml (indatuximab) followed by Alexa 488-conjugated anti-human IgG secondary antibody.

