

PRODUCT INFORMATION

Warning . Undefined variable \$hasAttributeValueDescription in Calwawroottmirror.dimablo.com/wp-content\plugins/woocommerce-print-products-public.php on line 2806 [C14]

Conjugate Synonyms Applications ELISA, Flow Cyt

Recommend Dilutions ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG4(S228P) - Kappa IgG type

Reactivity Target CD14 Uniprot ID

Description Anti-CD14(atibuclimab biosimilar) mAb

Delivery

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage

Anti-CD14(atibuclimab biosimilar) mAb ELISA

0.2 μg of Human CD14(20-352), His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD14(20-352) Protein, His Tag (PME101230) can Anti-CD14(atibuclimab biosimilar) mAb (BME100205) in a linear range of 0.64-80 ng/mL.










Figure 2. Flow cytometry analysis with $15\mu g/mL$ Anti-CD14(atibuclimab biosimilar) mAb (BME100205) on HEK293 cells transfected with Human CD14 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

