

## PRODUCT INFORMATION

<b>Common Name</b>	<b>Warning:</b> Undefined variable \$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-products\publicclass\woocommerce-print-products-public.php on line 2806 FMC63
<b>Synonyms</b>	<b>Warning:</b> Undefined variable \$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-products\publicclass\woocommerce-print-products-public.php on line 2806 CD19-4:VIB3:GC12802
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	ELISA, Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000, Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Mus musculus
<b>IgG type</b>	Mouse IgG2a - Kappa
<b>Reactivity</b>	Human
<b>Target</b>	CD19
<b>Uniprot ID</b>	P15391
<b>Description</b>	Anti-CD19(FMC63 biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Yefei Storage</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only




Figure 1. Flow cytometry analysis with 1 µg/mL Anti-CD19 mAb (BME100094) on HEK293 cells transfected with Human CD19 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).



### Anti-CD19(FMC63 biosimilar) mAb ELISA

0.2  $\mu$ g of Human CD19(M75I,L82V,F83L), hFc tagged protein per well




Figure 2. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human CD19 (M75I,L82V,F83L) Protein, hFc Tag (PME101557) can bind Anti-CD19(FMC63 biosimilar) mAb (BME100094) in a linear range of 3.20-400 ng/mL.

### Anti-CD19(FMC63 biosimilar) mAb ELISA

0.2  $\mu$ g of Human CD19(M75V,R76S,F85S), hFc tagged protein per well




Figure 3. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human CD19 (M75V,R76S,F85S) Protein, hFc Tag (PME101558) can bind Anti-CD19(FMC63 biosimilar) mAb (BME100094) in a linear range of 3.20-400 ng/mL.

