

PRODUCT INFORMATION

Common Name

Warning: Undefined variable ShacAttributeValueDescription in Ct\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products-public.php on line 2806 oberotate.

Conjugate Unconjugated
Synonyms LY75, CLEC13B
Applications ELISA, Flow Cyt

Recommended Dilutions ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Host Species Homo sapiens
IgG type Human IgG1 - kappa
Reactivity Human
Target CD205

Uniprot ID 060449

Description Anti-CD205(oberotatug biosimilar) mAb

Delivery In Stoc

Storage & Shipping
Storage & Shi

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage Research use only

Anti-CD205(oberotatug biosimilar) mAb ELISA

0.2 μg of Human CD205, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD205 Protein, His Tag (PME100643) can bind Anti-CD205(oberotatug biosimilar) mAb (BME100593) in a linear range of 0.13–16 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com











Figure 2. Flow cytometry analysis with 1 μ g/mL Anti-CD205(oberotatug biosimilar) mAb (BME100593) on HEK293 cells transfected with Human CD205 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).



Email: info@dimabio.com Website: www.dimabio.com

