

## **PRODUCT INFORMATION**

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 1H10 Clone ID

CEACAM8

CD66b;CD67;CGM6;NCA-95 Synonyme

Host Species Rabbit

Anti-CEACAM8 antibody(1H10), Rabbit mAb Description

Delivery In Stock Uniprot ID P31997 IgG type Rabbit mAb Clonality Monoclonal Reactivity Human Flow Cyt Application Recommend Dilutions Flow Cyt 1/100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Enables protein heterodimerization activity, Involved in heterophilic cell-cell adhesion via plasma membrane cell adhesion molecules, Located in cell surface and extracellular space. Biomarker of severe acute respiratory syndrome. [provided by Alliance of Genome Resources, Apr 2022] Research use only Storage & Shipping Background

Conjugate Unconjugated




Figure 1. Flow cytometry analysis with 1µg/mL Anti-CEACAM8 (1H10) mAb on HEK293 cells transfected with human CEACAM8 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).



