

PRODUCT INFORMATION

Name Warning: Undefined variable shasattributeValueDescription in C\\www.root\mirror.dimabio.com\wp-content\plugins\woocommerce-printproducts\public\class-woocommerce-print-products-public.php on line 2806 AMC-757

Conjugate Unconjugated
Synonyms DLL3 and CD3
Applications ELISA
Recommended Dilutions ELISA 1:5000-10000

Formulation & Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

lost Species Humanized

IgG type Human IgG1(R292C,N297G,V302C)

 Reactivity
 Human

 Target
 DLL3 and CD3

 Uniprot ID
 Q9NYJ7 and P0776

Description Anti-DLL3 and CD3(tarlatamab biosimilar) BsAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage Research use onl

Anti-DLL3 and CD3(tarlatamab biosimilar) BsAb ELISA

0.2 μg of Human DLL3, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human DLL3 Protein, His Tag (PME100060) can bind Anti-DLL3 and CD3(tarlatamab biosimilar) BsAb (BME100264) in a linear range of 0.64–80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

