

PRODUCT INFORMATION

Warning. Undefined variable ShasAttributeValueDescription in Calwawroottmirror.dimabio.com/wp-content\piugins/woocommerce-print-products/public/class-woocommerce-print-products-public.php on line 2806 M9346A, Unconjugated mAb

Conjugate Unconjugated FBP, FOLR, FRalpha, NCFTD Synonyms Applications ELISA, Flow Cyt

Recommende Dilutions ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Formulation & Reconstitution

Human IgG1(E356D,M358L) - kappa IgG type

Reactivity Target FOLR1 Uniprot ID

Description Anti-FOLR1(mirvetuximab biosimilar) mAb

Delivery




Figure 1. FOLR1 protein is highly expressed on the surface of HEK293 cell membrane. Flow cytometry analysis with $1\mu g/mL$ Anti-FOLR1(mirvetuximab biosimilar) mAb (BME100178) on HEK293 cells transfected with human FOLR1 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram), and Isotype antibody on HEK293 transfected with irrelevant protein (Orange histogram).

Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)





Anti-FOLR1(mirvetuximab biosimilar) mAb ELISA

0.2 μg of Human FOLR1, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human FOLR1 Protein, His Tag(PME100249) can bind Anti-FOLR1(mirvetuximab biosimilar) mAb(BME100178) in a linear range of 0.64–16 ng/mL.



