

PRODUCT INFORMATION

Warning . Undefined variable \$hasAttributeValueDescription in Calwawroottmirror.dimablo.com/wp-content\plugins/woocommerce-print-products\public.chas-woocommerce-print-products-public.php on line 2806 1E2 Clone ID

GAST Host Species Rabbit

Anti-GAST antibody(1E2), Rabbit mAb Description Delivery In Stock

Uniprot ID P01350 lgG type Rabbit IgG Clonality Monoclona Reactivity Human ELISA Applicati

Recommen Dilutions ELISA 1/5000-10000

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis fo specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Gastrin is a hormone whose main function is to stimulate secretion of hydrochloric acid by the gastric mucosa, which results in gastrin formation inhibition. This hormone also acts as a mitogenic factor for gastrointestinal epithelial cells. Gastrin has two biologically active peptide forms, G34 and G17. [provided by RefSeq. Jul 2008]

Usage Research use only

Anti-GAST (1E2) mAb ELISA 0.1µg of Human GAST, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human GAST Protein can bind Rabbit anti-GAST monoclonal antibody(clone: 1E2) in a linear range of 1-50 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

