Cat. No. DME100001



PRODUCT INFORMATION

Clone ID DM1 **Target** His Tag **Synonyms** his tag Rabbit **Host Species**

Description Anti-His Tag Antibody(DM1); Rabbit mAb

Delivery In Stock IgG type Rabbit IgG Clonality Monoclonal

> Detects proteins containing accessible consecutive histidine regions. The antibody detects His tags localized at the amino- or

carboxyl- terminus.

Applications ELISA; WB

Recommended **Dilutions**

Background

Reactivity

WB 1:1000

Purified from cell culture supernatant by affinity **Purification**

chromatography

Formulation & Reconstitution

Lyophilized from sterile PBS, pH 7.4. Normally 5 % 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

The rabbit immune system generates antibody diversity and optimizes affinity. Anti-His Tag Antibody(DM1); Rabbit mAb is specific to six histidine tags placed at C-terminal and internal regions of fusion proteins. This antibody can greatly improve the effectiveness of several

different kinds ofimmunoassays; helping researchers identify; detect; and purify polyhistidine fusion proteinsin bacteria; insect

cells; and mammalian cells.

Usage Research use only Conjugate Unconjugated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or

> > Email: info@dimabio.com Website: www.dimabio.com

DIMA Disclaimer reverse engineering attempt is prohibited. We are

actively scrutinizing all patent application to

ensure no IP infringement.




Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

Anti-His Tag Antibody(DM1); Rabbit mAb

Cat. No. DME100001





Western blot analysis of his-tag fusion protein using His-Tag antibody (DME100001) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000 dilution. His-tag fusion protein: 70kDa, 20ng per lane. Blocking buffer: 5% nonfat dry milk in TBST. Exposure time: 1s.

Email: info@dimabio.com Website: www.dimabio.com

