

PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\u00e4wroot\u00fcmirror.dimablo.com\u00e4wp-content\plugins\u00e4woocommerce-print-products\u00e4public\u00e4class-woocommerce-print-products-public.php on line 2806
bM132 Clone ID

ATAR; CD270; HVEA; HVEM; LIGHTR; TR2 Synonyme

Host Species Rabbit

Anti-HVEM antibody(DM132); Rabbit mAb Description Delivery In Stock

Uniprot ID Q92956 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human Application ELISA; Flow Cyt

Recommend Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Scre at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. This gene encodes a member of the TNF (tumor encrosis factor) receptor superfamily. The encoded protein functions in signal transduction pathways that activate inflammatory and inhibitory T-cell immune response, it binds herpes simplex virus (HSV) viral envelope glycoprotein D (gD); mediating its entry intocal factors. Alternative splining results in multiple transcript variants. Storage & Shipping

Usage Research use only

Inconjugated
All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human HVEM protein, His tagged protein ([getskuurl sku="PME100273"]) can bind Rabbit anti-HVEM monoclonal antibody(clone: DM132) in a linear range of 0. 1-12 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com






Figure 2. Flow cytometry analysis with Anti-HVEM **(DM132)** on HEK293 cells transfected with human HVEM(Blue histogram) or HEK293 transfected with irrelevant protein(Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

