

## PRODUCT INFORMATION

Warning: Undefined variable \$hasAttributeValueDescription in C\u00e4wwroot\u00fanirror.dimabio.com\u00e4wp-content\plugins\u00e4woocommerce-print-products\u00e4public.php on line 2806 341. Clone ID

IGF;MGF;IGFI;IGF-I

Host Species Rabbit

Anti-IGF1 antibody(3H1), IgG1 Chimeric mAb Description

Delivery In Stock

Uniprot ID P05019

Rabbit/Human Fc chimeric IgG1 lgG type

Clonality Monoclonal Reactivity Human ELISA Applicati

Recommend Dilutions ELISA 1/5000-10000

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Screen at 200°C to 300 for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at 40°C (Avoid Screen at 20°C to 30°C for 10°C for 10° Storage & Shipping Background

Usage Conjugate Research use only Unconjugated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.

## Anti-IGF1 (3H1) mAb ELISA 0.1µg of IGF1, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 1  $\mu$ g/ml (100  $\mu$ l/well) Human IGF1, hFc tagged protein can bind Rabbit anti-IGF1 monoclonal antibody(clone: 3H1) in a linear range of 10-100 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

