

PRODUCT INFORMATION

asAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-nmerce-print-products-public.php on line 2806

Conjugate Unconjugated IL13R; IL13RA; CD213a1; CT19 Synonyms

Applications ELISA, Flow Cyt

Recommend Dilutions ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG4 - Kappa IgG type

Reactivity Target IL13RA1 Uniprot ID

Anti-IL13RA1(eblasakimab biosimilar) mAb Description

Delivery

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Background

Usage

Anti-IL13RA1(eblasakimab biosimilar) mAb ELISA

0.2 μg of Human IL13RA1, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human IL13RA1 Protein, His Tag (PME100291) can bind Anti-IL13RA1(eblasakimab biosimilar) mAb (BME100240) in a linear range of 0.64–80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com






Figure 2. Flow cytometry analysis with 1μ g/mL Anti-IL13RA1(eblasakimab biosimilar) mAb (BME100240) on HEK293 cells transfected with Human IL13RA and IL4RA protein (Blue histogram) or HEK293 transfected with Human IL4RA protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

