

PRODUCT INFORMATION

warning: Undefined variable shasAttributeValueDescription in C:\www.root\mirror.c products\public\class-woocommerce-print-products-public.php on line 2806 HuMax-IL15, AMG 714, AMG-714, HuMax-IL-15, MAD146B7, PRV-015

Conjugate Synonyms Applications ELISA Recommend Dilutions ELISA 1:5000-10000

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG1(K214R,E356D,M358L) - Kappa IgG type

Reactivity Target IL15 Uniprot ID P40933

Description Anti-IL15(ordesekimab biosimilar) mAb

Delivery

Background

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage

Anti-IL15(ordesekimab biosimilar) mAb ELISA

0.2 μg of Human IL15, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human IL15 Protein, hFc Tag (PME100882) can bind Anti-IL15(ordesekimab biosimilar) mAb (BME100253) in a linear range of 3.20–400 ng/mL. In order to specifically detect BME100253, mouse anti-human Fab-specific antibody was used as detection antibody.

Email: info@dimabio.com Website: www.dimabio.com

