


**PRODUCT INFORMATION**

|   |  |
|---|--|
| <b>Common Name</b>                      | AMG827, KHK4827  |
| <b>Synonyms</b>                         | CD217;CDw217;IL-17RA;IL17R;CANDF5;hIL-17R  |
| <b>Applications</b>                     | ELISA; Flow Cyt  |
| <b>Recommended Dilutions</b>            | ELISA 1:5000-10000; Flow Cyt 1:100   |
| <b>Formulation &amp; Reconstitution</b> | Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.  |
| <b>Host Species</b>                     | Homo sapiens   |
| <b>IgG type</b>                         | IgG2   |
| <b>Reactivity</b>                       | Human  |
| <b>Target</b>                           | IL17RA   |
| <b>Uniprot ID</b>                       | Q96F46   |
| <b>Description</b>                      | Anti-IL17RA (brodalumab biosimilar) mAb  |
| <b>Delivery</b>                         | In Stock   |
| <b>Storage &amp; Shipping</b>           | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.                    |
| <b>Background</b>                       | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.  |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | Unconjugated   |
| <b>DIMA Disclaimer</b>                  | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. |




## Anti-IL17RA (brodalumab biosimilar) mAb ELISA

0.2 µg of Human IL17RA, His Tagged protein per well



**Figure 1.** ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human IL17RA, His tagged protein ([getskuurl sku="PME100468"]) can bind Anti-IL17RA Neutralizing antibody (BME100038) in a linear range of 3.2-80 ng/ml.



**Figure 2.** HEK293 cell line transfected with irrelevant protein (**B**) and human IL17RA (**A**) were surface stained with Anti-IL17RA mAb 1 µg/ml (brodalumab) followed by Alexa 488-conjugated anti-human IgG secondary antibody.

