

PRODUCT INFORMATION

iable ShasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-woocommerce-print-products-public.php on line 2806 Clone ID

IL21;Za11;Interleukin-21

Host Species

Rabbit Anti-IL21 antibody(11F1), IgG1 Chimeric mAb Description

Delivery In Stock Uniprot ID Q9HBE4

IgG type Rabbit/Human Fc chimeric IaG1

Clonality Monoclonal Reactivity Human Applicati ELISA

Recommend Dilutions ELISA 1/5000-10000

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Storage & Shipping

specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

This gene encodes a member of the common-gamma chain family of cytokines with immunoregulatory activity. The encoded protein plays a role in bot the innate and adaptive immune responses by inducing the differentiation, proliferation and activity of multiple target cells including macrophages, natural killer cells. B cells and cytotoxic T cells. Dysregulation of this gene plays a role in multiple immune-medial glueps, sporsiasi and chronic inflammatory diseases. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq. Dec 2011]

Research use only Background

Usage Coniugate

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaime

Anti-IL21 (11F1) mAb ELISA 0.1µg of Human IL-21 Protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human IL21 Protein can bind Rabbit anti-IL21 monoclonal antibody(clone: 11F1) in a linear range of 5-50 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

