

## **PRODUCT INFORMATION**

Warning: Undefined variable ShasAttributeValueDescription in C:\\
\text{Newwroot\mirror.dimable.com\wp-content\plugins\woocommerce-print-products-public.php on line 2806 REGN89, SAR153191}

Conjugate

Unconjugated
CD126, gp80, IL-6R-1, IL-6RA, IL6Q, IL6RA, IL6RQ Synonyms

Applications ELISA

Recommend Dilutions ELISA 1:5000-10000

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG1(E356D,M358L) - kappa IgG type

Reactivity Target IL6R Uniprot ID

Description Anti-IL6R(sarilumab biosimilar) mAb

Delivery

Background


Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage

## Anti-IL6R(sarilumab biosimilar) mAb ELISA

0.2 μg of Human IL6R, hFc tagged protein per well



Anti-IL6R(sarilumab biosimilar) mAb (ng/mL)

Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human IL6R Protein, hFc Tag (PME100535) can bind Anti-IL6R(sarilumab biosimilar) mAb (BME100662) in a linear range of 1.6–40 ng/mL. In order to specifically detect BME100662, mouse anti-human Fab-specific antibody was used as detection antibody.

> Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

