

PRODUCT INFORMATION

Clone ID DMC272 IL7RA **Target**

Synonyms CD127; CDW127; IL-7R-alpha; IL7RA; ILRA

Host Species Rabbit

Anti-IL7RA antibody(DMC272); IgG1 Chimeric Description mAb

Delivery In Stock **Uniprot ID** P16871

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Background

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

témperature.

The protein encoded by this gene is a receptor for interleukin 7 (IL7). The function of this receptor requires the interleukin 2 receptor; gamma chain (IL2RG); which is a common gamma chain shared by the receptors of various cytokines; including interleukins 2; 4; 7; 9; and 15. This protein has been shown to play a critical role in V(D)J recombination during may be associated with

Defects in this gene may be associated with severe combined immunodeficiency (SCID). Alternatively spliced transcript variants have

been found.

Research use only Usage

Conjugate Unconjugated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under

patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are **DIMA Disclaimer**

actively scrutinizing all patent application to

ensure no IP infringement.



Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com






Figure 1. Flow cytometry analysis with Anti-IL7RA (DMC272) on Expi293 cells transfected with human IL7RA (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).



