

## **PRODUCT INFORMATION**

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-bntf60
bntf60 Clone ID

LAG3 LAG-3; CD223 Synonyme

Host Species Rabbit

Anti-LAG3 antibody(DM160); Rabbit mAb Description Delivery In Stock

Uniprot ID P18627 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human Application ELISA; Flow Cyt

Recommende Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Lymphocyte-activation protein 3 belongs to ig superfamily and contains 4 extracellular light domains. The LAG3 gene contains 8 exons. The sequence active continuous organization; and chromosomal localization all indicate a close relationship of LAG3 to CD4. [provided by RefSeq; jul 2008]

Research use only

Conjugate Unconjugated

Background

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer




Figure 1. Flow cytometry analysis with Anti-LAG3 (DM160) on HEK293 cells transfected with human LAG3 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

