

## **PRODUCT INFORMATION**

Warning . Undefined variable \$hasAttributeValueDescription in Calwawroottmirror.dimabio.com/wp-content\piugins/woocommerce-print-products-public.php on line 2806 faibliktug

Unconjugated CDF, DIA, HILDA Conjugate Synonyms Applications ELISA Recommend Dilutions ELISA 1:5000-10000

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Human IgG1(E356D,M358L) - kappa IgG type

Reactivity Target Uniprot ID P15018

Anti-LIF(falbikitug biosimilar) mAb Description

Delivery

Background

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Usage

## Anti-LIF(falbikitug biosimilar) mAb ELISA

0.2 μg of Human LIF, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human LIF Protein, hFc Tag (PME100744) can bind Anti-LIF(falbikitug biosimilar) mAb (BME100506) in a linear range of 2.29–185.19 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com



