

PRODUCT INFORMATION

iable \$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-woocommerce-print-products-public.php on line 2806 Clone ID

NCR3;CD337;NKp30;1C7;LY117;MALS

Host Species Rabbit

Anti-NKp30 antibody(DM88); Rabbit mAb Description

Delivery In Stock Uniprot ID 014931 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human ELISA; Flow Cyt Application

Recommend Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Scree at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. else the contract of the c Storage & Shipping

Usage Research use only

Necessity used only

Unconjugated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer




Figure 1. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human NKp30 protein, hFc tagged protein ([getskuurl sku="PME100081"]) can bind Rabbit anti-NKp30 monoclonal antibody (clone: DM88) in a linear range of 1-100 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com








Figure 2. HEK293 cell line transfected with irrelevant protein **(A)** and human NKp30 **(B)** were surface stained with Rabbit anti-NKp30 monoclonal antibody 15μ g/ml **(clone: DM88)** followed by Alexa 488-conjugated anti-rabbit IgG secondary antibody.



