

## **PRODUCT INFORMATION**

Warning: Undefined variable ShasAttributeValueDescription in C\u00e4wroot\u00fcmirror.dimabio.com\u00e4wp-content\plugins\u00e4woocommerce-print-products-public.php on line 2806
PP-0451800

Conjugate

Unconjugated
TNFRSF4;OX40;CD134;OX40L receptor;ACT35;TXGP1L Synonyms

Applications Flow Cyt Recommende Dilutions Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Host Species

Human IgG2 - Kappa IgG type Reactivity Target OX40 Uniprot ID P43489

Anti-OX40( ivuxolimab biosimilar)mAb Description


Delivery Storage & Shi

Background

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.

Usage



**Figure 1.** Flow cytometry analysis with Anti-OX40 mAb 1  $\mu$ g/ml (ivuxolimab) on HEK293 cells transfected with human OX40 (Blue histogram) or HEK293 transfected with irrelevant protein(Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

