

PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 103 Clone ID

RSP03

CRISTIN1;PWTSR;THSD2

Host Species Rabbit

Anti-RSPO3 antibody(10C3), Rabbit mAb Description

Delivery In Stock Uniprot ID Q9BXY4 lgG type Rabbit IgG Clonality Monoclona Reactivity Human ELISA Applicati

Recommend Dilutions ELISA 1/5000-10000

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Storage & Shipping

Screen at 20°C to 300 for the reconstruction in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid Screen at 20°C to 30°C and for 12°C months in lyophilized pretens are shipped at ambient temperature.

The gene belongs the Respondin family. The encoded protein spars a role in the regulation of Wht (wingless-type MMTV integration site family)/beta caterin and Winglamar cell pointing type and the protein spars of the regulation of Wht (wingless-type MMTV integration site family)/beta caterin and Winglamar cell pointing (PCP) signaling pathways, within are involved in development, cell growth and sease pathogenesis. Genome-wide association studies suggest a correlation of this gene with bone mineral density and risk of fracture. This gene may be involved in tumor development. [provided by RefSeq, Jul 2013]

Usage Conjugate Research use only Unconjugated

Background

Anti-RSPO3 (10C3) mAb ELISA 0.1µg of Human RSPO3(22-146), hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human RSPO3 Protein can bind Rabbit anti-RSPO3 monoclonal antibody(clone: 10C3) in a linear range of 5-100 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

