

## **PRODUCT INFORMATION**

Warning . Undefined variable \$hasAttributeValueDescription in Calwawroottmirror.dimablo.com/wp-content\plugins/woocommerce-print-products-public.php on line 2806 bM26 Clone ID

S protein RBD SARS-CoV-2 RBD Synonyme Host Species Rabbit

Anti-SARS-CoV-2 RBD antibody(DM26); Rabbit mAb Description In Stock

Delivery Uniprot ID PODTC2 lgG type Rabbit IgG Clonality Monoclonal Reactivity SARS-CoV-2 ELISA; Flow Cyt Application

Recommend Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis fo specific instructions of reconstitution.

Storage & Shipping

Scre at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at an unbelief temperature.

SASS-CVV. Severe Acute Respiratory Syndrome Consolvins 2) also known as Crusto 10.8 Novel Connovirus) is a virus that causes illnesses. SASS-CVV. Severe Acute Respiratory Syndrome Consolvins 2) also known as Crusto 10.8 Novel Connovirus) is a virus that causes illnesses. SASS-CVV. Severe Acute Respiratory Syndrome Consolvins 2) also known as Crusto 10.8 Novel Connovirus) is a virus that causes illnesses with the control of the Crusto 10.8 Novel Connovirus 10.8 Novel Connovi Background

Usage Conjugate Research use only Unconjugated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.




Figure 1. Competition flow cytometry assay demonstrating Rabbit anti-RBD monoclonal antibody (clone: DM26) blockade of SARS-CoV-2 (COVID-19) S protein RBD (1μg/ml, [getskuurl sku="PME100497"]) binding to HEK293 cell line transfected with human ACE2. IC50=1717ng/ml. The Y-axis represents the geometric mean fluorescence intensity (MFI) while the X-axis represents the separate the separate transfer of IgC used represents the concentration of IgG used.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

