

## PRODUCT INFORMATION

Warning: Undefined variable shasAttributeValueDescription in Cs\www.root\wirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public.chass-woocommerce-print-products-public.php on line 2806
bMC428 Clone ID

SSTR2 SRIF-1; SS2R Synonyme Host Species Rabbit

Anti-SSTR2 antibody(DMC428); IgG1 Chimeric mAb Description

Delivery In Stock Uniprot ID P30874

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human Application Flow Cyt Recommend Dilutions Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

Special instructions reconstruction. Store at 20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Somatostatin acts at many sites to inhibit the release of many hormones and other secretory proteins. The biologic effects of somatostatin are probably mediated by a family of 6 protein-coupled receptors that are expressed in a tissue-specific manner. SSTR2 is a member of the superfamily of receptors having seven transmembrane segments and is expressed in highest levels in cerebrum and kidney.

Usage Research use only

Inconjugated
All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infiningement. DIMA Disclaimer




Figure 1. Flow cytometry analysis with Anti-SSTR2 (DMC428) on HEK293 cells transfected with human SSTR2 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

