

**PRODUCT INFORMATION**

|   |   |
|---|---|
| <b>Common Name</b>                      | <b>Warning:</b> Undefined variable \$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806<br>AK127-AK-127                    |
| <b>Conjugate</b>                        | Unconjugated  |
| <b>Synonyms</b>                         | VSIG9;VSTM3;WUCAM   |
| <b>Applications</b>                     | N/A   |
| <b>Recommended Dilutions</b>            | N/A   |
| <b>Formulation &amp; Reconstitution</b> | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.  |
| <b>Host Species</b>                     | N/A   |
| <b>IgG type</b>                         | IgG1  |
| <b>Reactivity</b>                       | Human   |
| <b>Target</b>                           | TIGIT   |
| <b>Uniprot ID</b>                       | Q495A1  |
| <b>Description</b>                      | Anti-TIGIT(lancastotug biosimilar[IgG1]) mAb  |
| <b>Delivery</b>                         | 4-6 weeks   |
| <b>Yefei Storage</b>                    | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| <b>Background</b>                       | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.   |
| <b>Usage</b>                            | Research use only   |

DIMABIO CONFIDENTIAL

