

PRODUCT INFORMATION

| | |
|---|---|
| Common Name | Warning: Undefined variable \$hasAttribute\$ in C:\wwwroot\mirror\dimabio.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 EB-05, NI-0101 |
| Conjugate | Unconjugated |
| Synonyms | toll like receptor 4, toll-like receptor 4, hToll, CD284, TLR-4 |
| Applications | Flow Cyt |
| Recommended Dilutions | Flow Cyt 1:100 |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Host Species | Humanized |
| IgG type | Human IgG1(K214R,N325S,L328F) - Kappa |
| Reactivity | Human |
| Target | TLR4 |
| Uniprot ID | O00206 |
| Description | Anti-TLR4(paridiprubart biosimilar) mAb |
| Delivery | In Stock |
| Yefei Storage | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature. |
| Background | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| Usage | Research use only |




Figure 1. Flow cytometry analysis with 1 µg/mL Anti-TLR4(paridiprubart biosimilar) mAb (BME100611) on HEK293 cells transfected with Human TLR4 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

