

PRODUCT INFORMATION

\$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-printcommerce-print-products-public.php on line 2806

Conjugate

Unconjugated
DIF,TNF-alpha,TNFA,TNFSF2,cachexin,cachectin,TNFα Synonyms

Application ELISA, Flow Cyt

Recommend Dilutions ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Formulation & Reconstitution

IgG type Human IgG1 - kappa Reactivity

Target TNFα Uniprot ID P01375

Anti-TNFa(golimumab biosimilar) mAb Description

Delivery

In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals

Background Usage




Figure 1. Flow cytometry analysis with $1\mu g/mL$ Anti-TNFa(golimumab biosimilar) mAb (BME100179) on HEK293 cells transfected with Human TNFa protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com



Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)



Anti-TNFa(golimumab biosimilar) mAb ELISA

 $0.2~\mu g$ of Human TNF α , His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human TNF α Protein, His Tag(PME100076) can bind Anti-TNFa(golimumab biosimilar) mAb(BME100179) in a linear range of 3.20–80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

