Anti-Trop2 antibody(DM75); Rabbit mAb

Cat. No. DME100075



## PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 bM75 Clone ID

Trop2 TACSTD2; GA733-1; M1S1; TROP2 Synonyme

Host Species Rabbit

Anti-Trop2 antibody(DM75); Rabbit mAb Description Delivery In Stock

Uniprot ID P09758 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human ELISA; Flow Cyt Applications

Recommended Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

As of this

Aguercing or reverse. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. This intronless gene encodes a carcinoma-associated antigen. This antigen is a cell surface receptor that transduces calcium signals. Mutations of this generated by the second second and the second district of the second second second second district of the second seco

> Email: info@dimabio.com Website: www.dimabio.com


Background

Conjugate Unconjugated


All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer







**Figure 1.** ELISA plate pre-coated by 2  $\mu$ g/ml (100  $\mu$ l/well) Human Trop2 protein, mFc-His tagged protein ([getskuurl sku="PME100501"]) can bind Rabbit anti-Trop2 monoclonal antibody **(clone: DM75)** in a linear range of 1-100 ng/ml.



**Figure 2.** HEK293 cell line transfected with irrelevant protein **(A)** and human Trop2 **(B)** were surface stained with Rabbit anti-Trop2 monoclonal antibody 1μg/ml **(clone: DM75)** followed by Alexa 488-conjugated anti-rabbit IgG secondary antibody.





