

PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806
1643 Clone ID

TYRO3

BYK;Dtk;Etk-2;Rek;RSE;Sky;Tif Synonyme

Host Species Rabbit

Anti-TYRO3 antibody(16A3), IgG1 Chimeric mAb Description

Delivery In Stock Uniprot ID Q06418

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Application Human Flow Cyt Recommend Dilutions Flow Cyt 1/100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

Store at -20°C to -80°C for I2 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature, the processed pseudogene distal on chromosome 15. The encoded The gene is part of a 3-member transmerbrane receptor knaps ereceptor family with a processed pseudogene distal on chromosome 15. The encoded receptor family with a processed pseudogene distal on chromosome 15. The encoded specific processed is received in controlling cell survival and proliferation, spermatogenesis, immunoregulation and phagocytosis. The encoded protein has also been identified as a cell entry factor for Ebola and Marburg viruses. [provided by RefSeq. May 2010] Background

Usage Conjugate Research use only Unconjugated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.




Figure 1. Flow cytometry analysis with 1μ g/mL Anti-TYRO3 (16A3) mAb on HEK293 cells transfected with human TYRO3 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

