Cat. No. DME100077B



PRODUCT INFORMATION

Warning: Undefined variable \$hasAttributeValueDescription in Cs\www.root\wirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public.class-woocommerce-print-products-public.php on line 2806 bM77 Clone ID

CD33

CD33;SIGLEC3;gp67 Synonyme

Host Species Rabbit

Biotinylated Anti-CD33 antibody(DM77); Rabbit mAb Description

Delivery 2-3 weeks P20138 Uniprot ID lgG type Rabbit IgG Clonality Monoclonal Reactivity Human Application ELISA; Flow Cyt

Recommended Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Storage & Shipping

specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Salic-acid-binding immunoglobiul-like lectin (Siglec) that plays a role in mediating cell-cell interactions and in maintaining immunos cells in a resting salic-acid-binding immunoglobiul-like lectin (Siglec) that plays a role in mediating cell-cell interactions and in maintaining immuno cells in a resting salic-cell-binding interactions and in maintaining immuno cells in a resting salic-cell-binding cell-cell interactions and in maintaining immuno cells in a resting salic-cell-binding cell-cell interactions and interactions are salicing interactions. Salicing interactions are salicing interactions and interactions are salicing interactions. Salicing interactions are salicing interactions and interactions are salicing interactions. The salicing interaction interactions are salicing interactions. The salicing interaction interaction interaction interactions are salicing interactions. The salicing interaction interaction interaction interactions are salicing interactions. The salicing interaction interaction interaction interactions are salicing interactions. The salicing interaction interaction interaction interactions are salicing interactions. The salicing interaction interaction interaction interaction interactions are salicing interactions. The salicing interaction interaction interaction interaction interaction interaction i

Email: info@dimabio.com Website: www.dimabio.com

Research use only

Usage

protein se Biotinylated

Biotinylated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer



