Cat. No. DME100202B



PRODUCT INFORMATION

Warning: Undefined variable shasAttributeValueDescription in Cs\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public.chass-woocommerce-print-products-public.php on line 2806
bM202 Clone ID

Synonyme

Host Species Rabbit

Biotinylated Anti-CD56 antibody(DM202); Rabbit mAb Description Delivery 2-3 weeks

Uniprot ID P13591 lgG type Rabbit IgG Clonality Monoclonal Reactivity Application ELISA; Flow Cyt

Recommended Dilutions ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Storage & Shipping

Store at .20°C to .80°C for 12 months in Joychillized form. After reconstitution, I not intended for use within a month, aliquot and store at .80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

This gene encodes a cell adhesion protein which is a member of the immunoglobulin superfamily. The encoded protein is involved in cell to cell. This gene encodes a cell adhesion protein which is a member of the immunoglobulin superfamily. The encoded protein is involved in cell to cell. This gene encodes a cell adhesion protein which is a member of the immunoglobulin superfamily. The encoded protein is involved in cell to cell. This gene encodes a cell adhesion protein plays a role in the development of the nervous system by regulating neurogenesis; neuron encoded protein plays a role in signal transduction by interacting with floroblast growth factor receptors; N-cadherni and other components of the extracellular matrix by triggeling insignaling cascades involving PYM-focal adhesion kinase (RAK), mitogen-activated protein kinase (MAPK), and phosphatidylinostiol 3-kinase (RAK), one prominent isoform of the signal transduction by interacting with encoded protein plays a role in signal transduction by interacting with encoded protein plays a role in signal transduction by interacting with fine protein plays a role in signal transduction by interacting with fine protein plays a role in signal transduction by interacting with fine protein plays a role in signal transduction by interacting with fine protein plays a role in signal transduction by interacting with protein plays a role in signal transduction by interacting with a role and plays a role in signal transduction by interacting with plays a role in signal transduction by interacting with a role and plays a role in signal transduction by interacting with a role and plays a role in signal transduction by interacting with a role and role and

Email: info@dimabio.com Website: www.dimabio.com

Conjugate

Background

.co. Av .rient. All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.

