

## **PRODUCT INFORMATION**

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 bMC461 Clone ID

AAG4; APOJ; CLI; KUB1; MGC24903; SGP-2; SGP2; SP-40; TRPM-2; TRPM2 Synonyme

Host Species Rabbit

Biotinylated Anti-CLU antibody(DMC461); IgG1 Chimeric mAb Description

Delivery 2-3 weeks P10909 Uniprot ID

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human Applications Flow Cyt Recommended Dilutions Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

Store at 20°C to 80°C for 12° months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

The protein encoded by this gene is a secreted chaperone that can under some stress conditions also be found in the cell cytosol. It has been suggested to be involved in several basic biological events such as cell death; tumor progression; and neurodegenerative disorders. Alternate splicing results in both coding and non-coding variants.[provided by RefSeq. May 2011]

Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate

Notice that the complete of the control of the cont DIMA Disclaimer

