

PRODUCT INFORMATION

SynonymsCD184;D25201E;FB22;HM89;HSY3RR;LAP-3;LAP3;LCR1;LESTR;NPY3R;NPYR;NPYRL;NPYY3R;WHIM;WHIMSApplicationsFlow CytRecommended DilutionsFlow Cyt 1:100Formulation & ReconstitutionLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBS, pH 7.4.	
Recommended Dilutions Flow Cyt 1:100 Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Host Species Homo sapiens IgG type IgG4 Reactivity Human Target CXCR4 Uniprot ID P61073	
Formulation & ReconstitutionLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.Host SpeciesHomo sapiensIgG typeIgG4ReactivityHumanTargetCXCR4Uniprot IDP61073	
Host SpeciesHomo sapiensIgG typeIgG4ReactivityHumanTargetCXCR4Uniprot IDP61073	
IgG typeIgG4ReactivityHumanTargetCXCR4Uniprot IDP61073	
Reactivity Human Target CXCR4 Uniprot ID P61073	<u> </u>
Target CXCR4 Uniprot ID P61073	
Uniprot ID P61073	
Description Biotinvlated Anti-CXCR4(ulocuplumab biosimilar) mAb	
Delivery 2-3 weeks Storage & Shipping Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.	
Background Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.	
Usage Research use only	
Conjugate Biotinylated	
All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.	
application: Any protein sequencing or reverse engineering attempt is promoted. We are actively scrutinizing all patent application to ensure no IP infringement.	
DIMAR	

Email: info@dimabio.com Website: www.dimabio.com

