Cat. No. DMC100475B



PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 bMC475 Clone ID

SIGLEC7

AIRM-1; AIRM1; CD328; CDw328; D-siglec; p75; p75:AIRM1; QA79; SIGLEC-7; SIGLEC19P; SIGLECP2 Synonyme

Host Species Rabbit

Biotinylated Anti-SIGLEC7 antibody(DMC475); IgG1 Chimeric mAb Description

Delivery 2-3 weeks Uniprot ID Q9Y286

lgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human Application Flow Cyt Recommended Dilutions Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Storage & Shipping

specific instructions of reconstitution.

Store at -20°C to -80°C for 12° months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Putative adhesion molecule that mediates sialic acid dependent binding to cells. Preferentially binds to a pipa-2, 2- and alpha-2- inited sialic acid. Also provides that mediates sialic acid. Also provides a pipa-3 and alpha-2 and alp

Email: info@dimabio.com Website: www.dimabio.com

Usage

.yprotein se Biotinylated

Biotinylated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer

