Cat. No. DME100008B



PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public.class-woocommerce-print-products-public.php on line 2806
bM8 Clone ID

BIT; CD172a; MFR; MYD-1; P84; PTPNS1; SHPS-1; SHPS1; SIRP; SIRP-ALPHA-1; SIRPalpha; SIRPalpha2 Synonyme

Host Species

Biotinylated Anti-SIRPa(DM8) antibody; Rabbit mAb Description Delivery 2-3 weeks

P78324 Uniprot ID lgG type Rabbit IgG Clonality Monoclonal Reactivity Application ELISA; Flow Cyt Recommended Dilutions Flow Cyt 1:100; IP 1:30

Purification Purified from cell culture supernatant by affinity chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

specific instructions of reconstitution. Store at -20°C to -80°C for 12°C to -80°C for 12°C to -80°C for 12°C months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

The protein encoded by this gene is a member of the signal-regulatory-protein (SIRP) family; and also belongs to the immunoglobulin superfamily. SIRP family members are receptor-type transmembrane glycoproteins known to be involved in the negative regulation of receptor fyrosine kinase-coupled signaling processes. This protein can be phosphorylated by tyrosine kinase-coupled signaling processes. This protein can be phosphorylated by tyrosine kinase in the phosphorylate of the protein was found to participate in signal transduction mediated by various growth factor receptors. CD47 has been demonstrated to be a ligand for this receptor protein. This gene and its product share very high similarity with several other members of the SIRP family. These related genes are located in close proximity to each other on chromosome 20p13. Multiple alternatively spliced transcript variants have been determined for this gene, [provided by ReFSeq. 12008]

Email: info@dimabio.com Website: www.dimabio.com

Conjugate

Background

y protein seq. All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.



