Cat. No. DMC100464B



PRODUCT INFORMATION

Warning: Undefined variable \$hasAttributeValueDescription in Cs\www.root\wirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public.chass-woocommerce-print-products-public.php on line 2806
bMC464 Clone ID

TNFSF15 TL1; VEGI Synonyme Host Species Rabbit

Biotinylated Anti-TNFSF15 antibody(DMC464); IgG1 Chimeric mAb Description

Delivery 2-3 weeks Uniprot ID 095150

lgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human Application Flow Cyt Recommended Dilutions Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity chromatography

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Storage & Shipping

specific instructions of reconstitution.

Store at 20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing), Lyophilized proteins are shipped at ambient temperature.

Freezing and thawing), Lyophilized proteins are shipped at ambient temperature.

Freezing and thawing, Lyophilized proteins are shipped at ambient temperature.

Freezing and thawing, Lyophilized proteins are shipped at ambient temperature.

Freezing and thawing, Lyophilized proteins are shipped at ambient temperature.

Freezing and thawing and thawing a shipped at a loop and the shipped at a loop and that a loop and that the shipped at a loop and that a part of the protein is inducible by TNF and IL-1 alpha. This cytokine is a liquand for receptor TNFRSF25 and decoy receptor TNFRSF21D-R8. It can activate NF-kapped and MAP kinases; and acts an autocrine factor to induce apoptosis in endothelial cells. This cytokine is also found to inhibit endothelial cell proliferation; and thus may function as an angiogenesis inhibitor. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq: Feb 2011] Background

Usage Coniugate

, rotein s. All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. DIMA Disclaimer

Email: info@dimabio.com Website: www.dimabio.com

