

PRODUCT INFORMATION

Warning: Undefined variable ShasAttributeValueDescription in C:\www.root\mirror.dimablo.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 C-Flag Tag Tag

CCBP1; CD234; DARC; DARC/ACKR1; Dfy; FY; GPD; GpFy; WBCQ1

Human ACKR1 full length protein-synthetic nanodisc

Delivery Uniprot ID 016570 Expression Host HEK293

Protein Families Druggable Genome, GPCR, Transmembrane

Protein Pathways

Molecular Weigh The human full length ACKR1 protein has a MW of 35.6 kDa Formulation & Reconstitution

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for Storage & Shipping

Store at -20°C to -80°C for IZ months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. The protein is a glycosylated membrane protein and a non-specific receptor for several chemokines. The encoded protein is the receptor for the human pursuits of the standard wave and Plasmodium knowless. Polymorphisms in this gene are the basis of the Duffy blood group system. Research use only Background

Conjugate Unconjugated

ELISA assay to evaluate ACKR1-Nanodisc 0.2µg Human ACKR1-Nanodisc per well





Figure 1. Elisa plates were pre-coated with Flag Tag ACKR1-Nanodisc (0.2µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with ACKR1-Nanodisc is 37.84ng/ml.

Email: info@dimabio.com Website: www.dimabio.com










Figure 2. Human ACKR1-Nanodisc, Flag Tag on SDS-PAGE



Email: info@dimabio.com Website: www.dimabio.com