

PRODUCT INFORMATION

CLDN6 **Target**

Synonyms Claudin-6; Skullin

Recombinant Human CLDN6(29-81) Protein with **Description**

N-terminal human Fc tag

Delivery In Stock **Uniprot ID** P56747 **Expression Host HEK293**

N-Human Fc Tag Tag

Molecular

Storage & Shipping

Background

hFc(Glu99-Ala330) CLDN6(Met29-Arg81) Characterization

The protein has a predicted molecular mass of 34.4 kDa after removal of the signal peptide. The **Molecular Weight**

apparent molecular mass of hFc-CLDN6(29-81) is approximately 25-35 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary grooves in the inwardly facing extracytoplasmic leaflet. This gene encodes a component of tight

junction strands, which is a member of the claudin family. The protein is an integral membrane protein and is one of the entry cofactors for hepatitis C virus. The gene methylation may be involved in esophageal tumorigenesis. This gene is adjacent to another family member CLDN9 on chromosome

> Email: info@dimabio.com Website: www.dimabio.com

16.[provided by RefSeq, Aug 2010]

Usage Research use only

Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)








Figure 1. Human CLDN6(29-81) Protein, hFc Tag on SDS-PAGE under reducing condition.

