

PRODUCT INFORMATION

\$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-printcommerce-print-products-public.php on line 2806 Tag

GPCR97; HH3R

Human HRH3 full length protein-synthetic nanodisc

Delivery In Stock Uniprot ID 09Y5N1 HEK293 **Expression Host**

Protein Families Druggable Genome, Transmembrane Protein Pathways Neuroactive ligand-receptor interaction

Molecular Weight The human full length HRH3 protein has a MW of 48.7 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, in foot intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Histamine is a ubiquitous messenger molecule released from mast cells, enterorchromaffin-like cells, and neurons. Its various actions are mediated by histamine receptors in 1, Hz, H3 and in 1, Hz, H3 and in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and in 1, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H4. This gene encodes one of the histamine receptors in 1, Hz, H3 and H

Conjugate Unconjugated

ELISA assay to evaluate HRH3-Nanodisc 0.2µg Human HRH3-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag HRH3-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with HRH3-Nanodisc is 2.708 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com








Figure 2. Human HRH3-Nanodisc, Flag Tag on SDS-PAGE



Email: info@dimabio.com Website: www.dimabio.com