Cat. No. FLP120122



PRODUCT INFORMATION

Warning. Undefined variable ShasAttributeValueDescription in Chwwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-products\public\class-woocommerce-print-products-public.php on line 2806 CFlagSttrp En Tag

BMIQ20

Synonyme

Human MC4R-Strep full length protein-synthetic nanodisc 6~8weeks

Description Delivery Uniprot ID P32245 Expression Host HEK293

Protein Families Druggable Genome, GPCR, Transmembrane Neuroactive ligand-receptor interaction Protein Pathways

Molecular Weight The human full length MC4R-Strep protein has a MW of 36.9 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

DIMARIO CONTINUININI NA PARAMENTA DI MARIA DI MA ryupimization, reases see Letrinate or Analysis for specific Instructions of reconstitution. Store at -20°C to .80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

The portein is a membrane-bound receptor and member of the melanocotrin receptor family. The encoded protein interacts with adrenocorticotropic and MSH hormones and is mediated by G proteins. This is an intronless gene. Defects in this gene are a cause of autosomal dominant obesity. Storage & Shipping Background

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate Unconjugated



