

PRODUCT INFORMATION

\$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-commerce-print-products-public.php on line 2806 Tag

LVM; MLC; VL

Human MLC1 full length protein-synthetic nanodisc In Stock

Delivery Uniprot ID 015049 Expression Host HEK293

Protein Families Ion Channels: Other, Transmembrane

Protein Pathways

Molecular Weigh The human full length MLC1 protein has a MW of 41.2 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. The function of this protein is unknown; however, homology to other proteins suggests that it may be an integral membrane transporter. Mutations in this gene have been associated with megalencephalic leukoencephalopathy with subcortical cysts, an autosomal recessive neurological disorder. Alternatively spliced transcript variants encoding different isoforms have been identified. Storage & Shipping

Usage Research use only

Conjugate Unconjugated

ELISA assay to evaluate MLC1-Nanodisc 0.2µg Human MLC1-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag MLC1-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with MLC1-Nanodisc is 2.111ng/ml.

Email: info@dimabio.com Website: www.dimabio.com










Figure 2. Human MLC1-Nanodisc, Flag Tag on SDS-PAGE



Email: info@dimabio.com Website: www.dimabio.com