

PRODUCT INFORMATION

Target	NTRK1
Synonyms	MTC;p140-TrkA;TRK;Trk-A;TRK1;TRKA
Description	Recombinant Human NTRK1 Protein with C-terminal human Fc tag
Delivery	In Stock
Uniprot ID	P04629
Expression Host	HEK293
Tag	C-Human Fc Tag
Molecular Characterization	NTRK1(Ala33-Phe410) hFc(Glu99-Ala330)
Molecular Weight	The protein has a predicted molecular mass of 67.4 kDa after removal of the signal peptide. The apparent molecular mass of NTRK1-hFc is approximately 70-130 kDa due to glycosylation.
Purity	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Yefei_Storage	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a member of the neurotrophic tyrosine kinase receptor (NTRK) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. The presence of this kinase leads to cell differentiation and may play a role in specifying sensory neuron subtypes. Mutations in this gene have been associated with congenital insensitivity to pain, anhidrosis, self-mutilating behavior, cognitive disability and cancer. Alternate transcriptional splice variants of this gene have been found, but only three have been characterized to date. [provided by RefSeq, Jul 2008]
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Human NTRK1 Protein, hFc Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

