

## **PRODUCT INFORMATION**

\$hasAttributeValueDescription in C:\wwwroot\mirror.dimabio.com\wp-content\plugins\woocommerce-print-commerce-print-products-public.php on line 2806 Tag

ADPG-R; BDPLT8; HORK3; P2T(AC); P2Y(12)R; P2Y(AC); P2Y(ADP); P2Y(cyc); P2Y12; SP1999

Human P2RY12-Strep full length protein-synthetic nanodisc

Delivery In Stock Uniprot ID O9H244 HEK293 **Expression Host** 

Protein Families

Formulation &

Background

Usage arch use only

## ELISA assay to evaluate P2RY12-Strep-Nanodisc 0.2µg Human P2RY12-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag P2RY12-Strep-Nanodisc ( $0.2\mu g/per$  well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with P2RY12-Strep-nanodisc is 2.605 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com








Figure 2. Human P2RY12-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

Email: info@dimabio.com Website: www.dimabio.com

